L Number	Hits	Search Text	DB	Time stamp
_	13077		USPAT;	2004/10/14 08:46
			US-PGPUB;	
,			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	SPUFI ((SQL (Structured adj Query adj	USPAT;	2004/10/14 09:49
		Language)) adj processor adj using adj	US-PGPUB;	
		file adj input)	EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
_	436044	db database (data adj base)	USPAT;	2004/10/15 10:05
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	2339506	run execute apply	IBM_TDB USPAT;	2004/10/14 11:35
	2333300	Tan execute apply	US-PGPUB;	2004/10/14 11.55
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	252251	update query	USPAT;	2004/10/14 11:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		<i>'</i>	IBM_TDB	
-	2884	(run execute apply) adj (update query)	USPAT;	2004/10/14 11:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	2104564	hadrun minnen gener taat	IBM TDB	2004/10/15 10 00
-	2104564	backup mirror copy test	USPAT;	2004/10/15 10:06
[US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	3813	 (backup mirror copy test) near (db	USPAT;	2004/10/14 11:37
		database (data adj base))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	((run execute apply) adj (update query))	USPAT;	2004/10/14 11:37
]		with ((backup mirror copy test) near (db	US-PGPUB;	
<u> </u>		database (data adj base)))	EPO; JPO;	
			DERWENT;	
_	2277020	godo program guaru modula fila	IBM_TDB	2004/10/15 07 25
-	5511920	code program query module file	USPĀT; US-PGPUB;	2004/10/15 07:35
			EPO; JPO;	
			DERWENT;	
	•		IBM TDB	
-	436044	db database (data adj base)	USPAT;	2004/10/15 07:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2967176	debug\$4 develop\$4 writ\$3 build\$3	USPAT;	2004/10/15 07:35
.			US-PGPUB;	
		,	EPO; JPO;	•
		•	DERWENT;	
	1400000	landação (mandando a la c	IBM_TDB	0.004/10/45
-	1499028	lock\$3 (read adj only) freeze	USPAT;	2004/10/15 07:26
			US-PGPUB;	
ļ.		,	EPO; JPO;	
	*		DERWENT;	,
_	10243	 (lock\$3 (read adj only) freeze) near (code	IBM_TDB USPAT;	2004/10/15 07:29
	10243	program query module file)	USPAT; US-PGPUB;	2004/10/13 07:29
			EPO; JPO;	
]	-	·	DERWENT;	
			IBM TDB	٠
·				

_	77035	(debug\$4 develop\$4 writ\$3 build\$3) near (code program query module file)	USPAT; US-PGPUB; EPO; JPO;	2004/10/15 07:29
			DERWENT; IBM_TDB	
-	331	((lock\$3 (read adj only) freeze) near (code program query module file)) same	USPAT; US-PGPUB;	2004/10/15 07:30
		((debug\$4 develop\$4 writ\$3 build\$3) near (code program query module file))	EPO; JPO; DERWENT;	
-	17	(((lock\$3 (read adj only) freeze) near (code program query module file)) same	IBM_TDB USPAT; US-PGPUB;	2004/10/15 07:30
		((debug\$4 develop\$4 writ\$3 build\$3) near (code program query module file))) same	EPO; JPO; DERWENT;	
_	3246213	(db database (data adj base)) code program query module	IBM_TDB USPAT; US-PGPUB;	2004/10/15 07:35
			EPO; JPO; DERWENT;	
-	1818909	debug\$4 develop\$4	IBM_TDB USPAT; US-PGPUB;	2004/10/15 07:36
			EPO; JPO; DERWENT;	
_	12	((code program query module) near (lock\$3 (read adj only) freeze)) same ((code	IBM_TDB USPAT; US-PGPUB;	2004/10/15 07:45
		program query module) near (debug\$4 develop\$4))	EPO; JPO; DERWENT;	
_	153	((code program query module) near (lock\$3	IBM_TDB USPAT;	2004/10/15 07:46
		(read adj only) freeze)) same (debug\$4 develop\$4)	US-PGPUB; EPO; JPO; DERWENT;	
_	436044	db database (data adj base)	IBM_TDB USPAT; US-PGPUB;	2004/10/15 12:19
			EPO; JPO; DERWENT; IBM TDB	
- ,	2104564	backup mirror copy test	USPAT; US-PGPUB;	2004/10/15 10:07
			EPO; JPO; DERWENT;	
-	2772077	development production	IBM_TDB USPAT; US-PGPUB;	2004/10/15 10:07
		. ,	EPO; JPO; DERWENT; IBM TDB	
	765	(development production) adj (db database (data adj base))	USPAT; US-PGPUB;	2004/10/15 10:09
		,	EPO; JPO; DERWENT; IBM TDB	
	782669	development	USPAT; US-PGPUB;	2004/10/15 10:09
			EPO; JPO; DERWENT; IBM TDB	
	. 9	base))) same (production adj (db database	USPĀT; US-PGPUB;	2004/10/15 10:43
		(data adj base)))	EPO; JPO; DERWENT; IBM TDB	
-	16	(development adj (db database (data adj base))) and (production adj (db database	USPAT; US-PGPUB;	2004/10/15 10:24
		(data adj base)))	EPO; JPO; DERWENT;	
		<u> </u>	IBM_TDB	L

-	7	((development adj (db database (data adj base))) and (production adj (db database (data adj base)))) not ((development adj (db database (data adj base))) same (production adj (db database (data adj	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 10:24
-	32	<pre>base)))) ((test development) adj (db database (data adj base))) same ((live production) adj (db database (data adj base)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/10/15 11:19
-	21	(((test development) adj (db database (data adj base))) same ((live production) adj (db database (data adj base)))) not ((development adj (db database (data adj base))) and (production adj (db database	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/15 10:45
_	39	(data adj base)))) ((test development) adj (db database (data adj base))) and ((live production) adj (db database (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/10/15 11:22
-	18	<pre>(((test development) adj (db database (data adj base))) and ((live production) adj (db database (data adj base)))) not (((test development) adj (db database (data adj base))) same ((live production) adj (db database (data adj base)))) not ((development adj (db database (data adj</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 11:28
_	2	(determined any (ab database (data day base))) and (production adj (db database (data adj base)))) (((test development) adj (db database (data adj base))) and ((live production) adj (db database (data adj base))) not ((((test development) adj (db database (data adj base))) same ((live production)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/15 11:28
		adj (db database (data adj base)))) not ((development adj (db database (data adj base))) and (production adj (db database (data adj base))))) ((development adj (db database (data adj base))) and (production adj (db database (data adj		
-	943	base))))) records adj changed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/15 12:27
-	3	((query update) with (records adj changed)) same (compare)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/15 12:21
_	95	(query update) with (records adj changed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/15 12:23
_	3	return with (query update) with (records adj changed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/15 12:24
_	13	(number count) near records adj changed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 12:28

	r			
_	6	(number count) near (records adj changed)	USPAT;	2004/10/15 14:33
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	12879	query with (number count)	USPAT;	2004/10/15 14:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	0	query with ((number count) adj (record\$1	IBM_TDB USPAT;	2004/10/15 14:40
		row\$1) adj (change\$1 update\$1))	US-PGPUB;	2004/10/13 14:40
		1011717 day (onangori apadoori)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
- ,	443	query with ((number count) adj (record	USPAT;	2004/10/15 14:39
		row))	US-PGPUB;	
			EPO; JPO;	,
			DERWENT; IBM TDB	
_	11	query with ((number count) adj (record\$1	USPAT;	2004/10/15 14:54
		row\$1)) with (change\$1 update\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	•
			IBM_TDB	000141-4:-
_	15	1 2	USPAT;	2004/10/15 14:54
		row\$1)) with (change\$1 update\$1 effect\$2)	US-PGPUB; EPO; JPO;	•
			DERWENT;	
			IBM TDB	
_	4	(query with ((number count) adj (record\$1	USPAT;	2004/10/15 14:59
		row\$1)) with (change\$1 update\$1 effect\$2))	US-PGPUB;	•
		not (query with ((number count) adj	EPO; JPO;	
		(record\$1 row\$1)) with (change\$1	DERWENT;	
		update\$1))	IBM_TDB	0001/10/15 14 50
_	. 0	6405187b1.pn.	USPAT; US-PGPUB;	2004/10/15 14:59
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	. 2	6405187.pn.	USPĀT;	2004/10/15 15:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	5922404	 database db (data base)	USPAT;	2004/10/18 07:16
	0,22,404	and the same of th	US-PGPUB;	2004/10/10 0/.10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	148351	restore (roll adj back) rollback undo	USPAT;	2004/10/18 07:16
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
	1815	(restore (roll adj back) rollback undo)	USPAT;	2004/10/18 07:16
	_	with (database db (data adj base))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
,	016600		IBM_TDB	0004/10/15
-	916628	querry update insert	USPAT;	2004/10/18 08:10
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	234	(((USPĀT;	2004/10/18 07:18
		with (database db (data adj base))) with	US-PGPUB;	
		(querry update insert)	EPO; JPO;	
			DERWENT;	
	L		IBM_TDB	,

				
-	2	6446089.pn.	USPAT;	2004/10/18 07:25
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	1169585	record row	USPAT;	2004/10/18 07:25
	1105000	leggia low	US-PGPUB;	2004/10/10 07:25
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4492461	count number	USPAT;	2004/10/18 07:25
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	47196	(record row) near (count number)	USPAT;	2004/10/18 07:26
			US-PGPUB;	
			EPO; JPO; DERWENT;	·
			IBM TDB	
_	20232	(record row) adj (count number)	USPAT;	2004/10/18 07:27
	20232	(record row) adj (count number)	US-PGPUB;	2004/10/18 07:27
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2624605	check\$3 compare\$3 expect\$2	USPAT;	2004/10/18 08:55
		,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	(IBM_TDB	
-	74	(check\$3 compare\$3 expect\$2) adj ((record	USPAT;	2004/10/18 07:27
		row) adj (count number))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	436188	databago db (data adi bago)	IBM_TDB	2004/10/10 07-20
-	430188	database db (data adj base)	USPAT;	2004/10/18 07:29
			US-PGPUB; EPO; JPO;	
			DERWENT;	
		·	IBM TDB	
_	29	(database db (data adj base)) and	USPAT;	2004/10/18 07:29
		((check\$3 compare\$3 expect\$2) adj ((record	US-PGPUB;	
		row) adj (count number)))	EPO; JPO;	
		· "	DERWENT;	
			IBM_TDB	
-	0	(querry update insert) near ((check\$3	USPAT;	2004/10/18 08:10
		compare\$3 expect\$2) adj ((record row) adj	US-PGPUB;	
1	1	(count number)))	EPO; JPO;	
	1	·	DERWENT;	
_	11	(querry update insert) same ((check\$3	IBM_TDB USPAT;	2004/10/18 08:14
		compare\$3 expect\$2) adj ((record row) adj	US-PGPUB;	2004/10/10 00:14
		(count number)))	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	39	((record row) near (count number) near	USPAT;	2004/10/18 08:15
]		(check\$3 compare\$3 expect\$2)) same (querry	US-PGPUB;	
		update insert)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	28	(((record row) near (count number) near	USPAT;	2004/10/18 08:15
		(check\$3 compare\$3 expect\$2)) same (querry	US-PGPUB;	
		update insert)) not ((querry update	EPO; JPO;	
		insert) same ((check\$3 compare\$3 expect\$2)	DERWENT;	
_	354	adj ((record row) adj (count number)))) (record row) near (count number) near	IBM_TDB	2004/10/18 08:48
	354	(check\$3 compare\$3 expect\$2)	USPAT; US-PGPUB;	2004/10/18 08:48
1		Compared expected	EPO; JPO;	,
1	1		DERWENT;	. '
ĺ		·	IBM TDB	
			100	

-	298	((record row) near (count number) near	USPAT;	2004/10/18 08:49
		(check\$3 compare\$3 expect\$2)) and	US-PGPUB;	
		@ad<20011205	EPO; JPO;	
			DERWENT;	*
			IBM TDB	
-	2157684	compare\$3 expect\$2	USPAT;	2004/10/18 08:55
			US-PGPUB;	
	*		EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	152	(compare\$3 expect\$2) near (record row)	USPĀT;	2004/10/18 08:56
		near (count number)	US-PGPUB;	
	-		EPO; JPO;	
			DERWENT;	
			IBM TDB	